

**in refractory  
heart failure**

**for general use**

"Gitaligin was effective in our experience in failure cases refractory to other digitalis preparations . . ."

"A good present day all-purpose digitalis for general use is Gitaligin®. . . It has one particular advantage which is unique and places it apart from all other digitalis preparations . . . [it] has a wider margin of safety . . ."

The average effective dose of Gitaligin is only one-third the toxic dose,<sup>1,9</sup> and its moderate rate of dissipation<sup>10</sup> assures maximum ease and safety of maintenance.

*Therefore, wherever digitalis therapy is indicated—*

**R<sub>x</sub> Gitaligin®**  
(White's Brand of Amorphous Gitalin)

Follow this simple dosage equivalent—One tablet (0.5 mg.)

of Gitaligin is approximately equivalent to 0.1 Gm.

(1½ gr.) digitalis leaf. Gitaligin tablets are deep scored

for accuracy and flexibility of dosage.

Supplied: Bottles of 30, 100 and 1000 tablets.

1. Hejtmancik, M.R., and Herrmann, G.R.: Texas St. J.M. 51:238 (May) 1955.

2. Ehrlich, J.C.: Arizona Med. 12:239 (June) 1955.

3. Hejtmancik, M.R., and Herrmann, G.R.: Arch. Int. M. 90:224 (Aug.) 1952.

4. Marriott, H.J.L.: Ann. Int. Med. 40:820 (Apr.) 1954.

5. Weiss, A., and Steigmann, F.: Am. J.M.Sc. 227:188 (Feb.) 1954.

6. Dimitroff, S.P.; Griffith, G.C.; Thorne, M.C. and Walker, J.: Ann. Int. Med. 39:1189 (Dec.) 1953.

7. Batterman, R.C.; DeGraff, A.C., and Rose, O.A.: Circulation 5:201 (Feb.) 1952.

8. Batterman, R.C.; DeGraff, A.C., and Rose, O.A.: Am. Heart J. 42:292 (Aug.) 1951.

9. Batterman, R.C.; DeGraff, A.C.; Gutner, L.B.; Rose, O.A., and Lowe, J.: Fed. Proc. 9:256 (Mar.) 1950.

10. Council on Pharmacy & Chemistry: New and Nonofficial Remedies 1954, Philadelphia, J. B. Lippincott Company, 1954, p. 272.



**WHITE LABORATORIES, INC.,  
KENILWORTH, N. J.**



*safe, reliable sedation*  
(non-barbiturate)

*allays apprehension*

*eases onset of sleep*

remarkably well tolerated by both children and adults

DORMISON,® brand of methylparafynol.



DO-J-52

**A NEW COUGH SPECIFIC**

**Free from central depression**

**NON-NARCOTIC**

**Free from addiction**

**TESTED IN 18,000 OBSERVATIONS\***

**No constipation**

# Romilar

'Roche'

a 10-mg dose of Romilar

is equivalent to

a 15-mg dose of codeine

available in tablets

and as a syrup

\*L. J. Cass *et al.*, *New England J. Med.*,  
249:132, 1953; *Am. J. M. Sc.*, 227:291, 1954.


Romilar® Hydrobromide—brand of  
dextromethorphan hydrobromide  
(d-3-methoxy-N-methylmorphinan hydrobromide)

**HOFFMANN - LA ROCHE INC**

Roche Park • Nutley 10 • New Jersey

---

The Bulletin of the New York Academy of Medicine, Vol. 31, No. 10, October, 1955. Published Monthly by The New York Academy of Medicine, 2 East 103 Street, New York 29, N. Y. Entered as second-class matter February 3, 1928, at the Post Office at New York, N. Y., under the Act of August 24, 1912. Annual subscription United States and Canada \$6.50. All other countries \$7.50. Single copies 75c.



## *Performance . . . Response*

# **SAL**

Salcort performance stimulates a dependable response in arthritic conditions; early functional improvement and a sense of well being are significant. Smaller doses of salicylates and cortisone combined produce a therapeutic response equivalent to that of large doses of cortisone . . . side reactions are eliminated and continuous therapy is permitted. Salcort presents no withdrawal problems.

Each tablet contains:

Cortisone Acetate .....	2.5 mg.
Sodium Salicylate .....	0.3 Gm.
Aluminum Hydroxide Gel, dried .....	0.12 Gm.
Calcium Ascorbate .....	60 mg.
(equivalent to 50 mg. Ascorbic Acid)	
Calcium Carbonate .....	60 mg.

\*U. S. Patent No. 2691662

professional literature and sample  
available on request

**THE S. E. MASSENGILL CO. BRISTOL, TENN.**



*all through the night*



one application of

# DESITIN<sup>®</sup> OINTMENT

*helps protect the infant's skin against*

**diaper rash** (ammoniacal dermatitis) • **irritation** • **excoriation**

DESITIN OINTMENT covers the infant's skin with a soothing, protective, healing coating which is largely impervious to and helps guard against irritation, rash, and maceration caused by urine, excrement, perspiration and secretions. This preventive action of Desitin Ointment *persists all through the night*...when baby is particularly vulnerable to painful skin excoriations.

Nonsensitizing, nonirritant Desitin Ointment...rich in cod liver oil  
...successfully used on millions of infants for over 30 years.

*for samples and literature please write . . .*

**DESITIN CHEMICAL COMPANY** 70 Ship Street  
Providence 2, R. I.


1. Grayzel, H. G., Heimer, C. B., and Grayzel, R. W.: New York St. J. Med. 53:2233, 1953. 2. Heimer, C. B., Grayzel, H. G., and Kramer, B.: Archives of Pediatrics 68:382, 1951. 3. Behrman, H. T., Combes, F. C., Bobroff, A., and Leviticus, R.: Ind. Med. & Surgery 18:512, 1949. 4. Turell, R.: New York St. J. Med. 50:2282, 1950. 5. Marks, M. M.: Missouri Med. 52:187, 1955.



- tubes of 1 oz.,  
2 oz., 4 oz.
- 1 lb. jars.



less resistance encountered...



**References** (1) Altmeier, W. A., Culbertson, W. B., Sherman, R., Cole, W., Elstun, W., & Fultz, C. T. *J.A.M.A.* 157:305, 1955. (2) Kutscher, A. H., Seguin, L., Lewis, S., Piro, J. D., Zegarelli, E. V., Rankow, R., & Segall, R. *Antibiotics & Chemother.* 4:1023, 1954. (3) Clapper, W. E., Wood, D. C., & Burdette, R. I. *Antibiotics & Chemother.* 4:978, 1954. (4) Sanford, J. P., Favour, C. B., Harrison, J. H., & Mao, F. H. *New England J. Med.* 251:810, 1954. (5) Balch, H. H. *Mil. Surgeon* 115:418, 1954. (6) Sanford, J. P., Favour, C. B., & Mao, F. H. *J. Lab. & Clin. Med.* 45:340, 1955. (7) Felshin, G. *J. Am. M. Women's A.* 10:31, 1955. (8) Jones, C. P., Carter, B., Thomas, W. L., & Creadick, R. N. *Obst. & Gynec.* 5:365, 1955. (9) Kass, E. H. *Am. J. Med.* 18:764, 1955. (10) Stein, M. H., & Cechinan, E. *New England J. Med.* 252:906, 1955. (11) Yow, E. M. *Postgrad. Med.* 17:413, 1955.

# Chloromycetin®

for today's problem pathogens


Recent in vitro tests and clinical studies again demonstrate the unsurpassed efficacy of CHLOROMYCETIN (chloramphenicol, Parke-Davis) against a wide variety of pathogens. For example, against urinary infections, now characterized by increased incidence of resistant gram-positive and gram-negative strains, CHLOROMYCETIN continues to provide outstanding antibacterial action. 1-11

CHLOROMYCETIN is a potent therapeutic agent and, because certain blood dyscrasias have been associated with its administration, it should not be used indiscriminately or for minor infections. Furthermore, as with certain other drugs, adequate blood studies should be made when the patient requires prolonged or intermittent therapy.



PARKE, DAVIS & COMPANY DETROIT, MICHIGAN

to speed ~~defervescence~~



to speed ~~convalescence~~



**Tetracyn SF<sup>®</sup>\***

*Brand of tetracycline*



*Pfizer-discovered tetracycline fortified with  
water-soluble vitamins to meet the "stress"  
demands of fever and infection.*

\*Trademark for Pfizer brand of antibiotics with vitamins



PFIZER LABORATORIES, Division, Chas. Pfizer & Co., Inc., Brooklyn 6, N. Y.





## is part of every picture


**I**n weighing the merits of an important piece of equipment, such as an electrocardiograph, it is often helpful to know something about the maker — his qualifications, his experience, and the other acceptable instruments he makes. In short, you might like to know what sort of *background* the considered electrocardiograph has.

In the case of the Viso-Cardiette, such a background can be represented by the instruments chosen to accompany it in the Sanborn "family portrait" above. Although not possible to show them all here, Sanborn instruments of precision cover the complete range of cardiac

recording for diagnosis and research, and also provide the basis for the measurement and recording of most of the other types of physiological phenomena

Collectively, they represent the tangible application of the Sanborn experiences and skills that were gained over the past third of a century. Unquestionably, such a background *does* make the Viso picture complete.


Write for completely descriptive literature, or contact your local Sanborn Office for information or a demonstration.



**B**EFORE you buy a Viso-Cardiette, you have the opportunity to examine it thoroughly AT YOUR LEISURE and to test in your own practice for 15 DAYS WITH NO OBLIGATION WHATSOEVER.

New York Branch Office  
1860 Broadway, Circle 7-5794 and 7-5795





...through  
the perilous  
night

## You can prevent attacks in angina pectoris

Fear is a faithful companion. In angina pectoris, particularly, many patients live in constant dread of recurrent attacks.

Prophylaxis with Peritrate, a long-acting coronary vasodilator, offers new security in a majority of such cases. A single dose affords protection for as long as 4 to 5 hours, compared to 30 minutes or less with nitroglycerin.

Different investigators<sup>1-3</sup> observed that 80% of their patients responded to Peritrate therapy with fewer, less severe attacks . . . reduced nitroglycerin dependence . . . improved EKG's.

A variety of convenient dosage forms now extends these benefits. Peritrate Delayed Action tablets (10 mg.), taken with the regular bedtime dose of Peritrate (plain) help allay the fear of nighttime attacks. Adapted to the recommended daily dosage of 40-80 mg., Peritrate is available in 10 mg. and 20 mg. tablets. And when added sedation is indicated, you can prescribe Peritrate (10 mg.) with Phenobarbital (15 mg.).

1. Winsor, T., and Humphreys, P.: *Angiology* 3:1 (Feb.) 1952. 2. Plotz, M.: *New York State J. Med.* 52:2012 (Aug. 15) 1952. 3. Dailheu-Geoffroy, P.: *L'Ouest-Médical*, vol. 3 (July) 1950.

# Peritrate®


tetranitrate

(BRAND OF PENTAERYTHRITOL TETRANITRATE)

**WARNER-CHILCOTT**

# CAMBRIDGE OPERATING ROOM CARDIOSCOPE

Bulletin 183



**CAMBRIDGE INSTRUMENT CO., INC.**


3744 Grand Central Terminal, New York, N. Y.  
PIONEER MANUFACTURERS OF THE ELECTROCARDIOGRAPH

## Send for BULLETIN 183

THE CAMBRIDGE OPERATING ROOM CARDIOSCOPE continuously indicates to the Surgeon and Anesthesiologist any lead of the patient's electrocardiogram and instantaneous heart rate. The instant the heart rate drops below a selected critical minimum, an audible alarm gives warning of approaching cardiac standstill. To simultaneously record any portion of any lead of the Electrocardiogram, a Cambridge Simpli-Scribe Electrocardiograph is located outside the Operating Room. *The Cambridge Operating Room Cardioscope is a must for the modern hospital doing modern surgery.*



Comparative blood levels following ingestion of 125 mg.  
penicillin V and 200,000 units of penicillin—G, potassium



A totally different penicillin—not a modification of penicillin—G. Unlike all other penicillins, it has a unique chemical composition which assures stability in the presence of acid. Therefore, there is no loss of potency due to stomach acidity. 'V-Cillin' produces higher blood levels and a longer duration of therapeutic concentrations. It is rapidly absorbed from the duodenum.

DOSAGE: 1 or 2 pulvules t.i.d.

SUPPLIED: Attractive green-and-gray pulvules of 125 mg. (200,000 units), in bottles of 50.

QUALITY/RESEARCH/INTEGRITY

*Lilly*

ELI LILLY AND COMPANY • INDIANAPOLIS 6, INDIANA, U.S.A.

530028

# Bentyl

## especially when other antispasmodics have failed

**204 OF 240 PATIENTS GET "GRATIFYING TO COMPLETE" RELIEF 1-3**

**240 PATIENTS**—in three separate groups—with a variety of functional disorders, were placed on Bentyl therapy. *Patients selected for treatment with Bentyl had not received satisfactory relief from other antispasmodic drugs.*

**204 PATIENTS** experienced "gratifying to complete" relief of their symptoms... there was virtual freedom from side effects. The consensus of the three clinicians who conducted the individual studies was: "this compound (Bentyl) *compares more than favourably to any other antispasmodic* and it should be included in our therapeutic arsenal."<sup>3</sup>

For **SAFE, EFFECTIVE RELIEF** of nervous gut—prescribe Bentyl, 2 caps. t.i.d.

1. Hock, C.W.: J. M. A. Georgia 40:22-4, 1951. 2. Chamberlain, D. T.: Gastroent. 17:224-5, 1951. 3. Derome, L.: Canadian Med. Assn. J. 69:532, 1953.

### Rx Information

## Bentyl

Bentyl affords direct (musculotropic) and indirect (neurotropic) spasmolytic action. Bentyl provides complete and comfortable relief in smooth muscle spasm; particularly in functional G.I. disorders, in irritable colon, pylorospasm, biliary tract dysfunction and spastic constipation.

#### Composition:

Each capsule or teaspoonful (5 cc.) contains 10 mg. of Bentyl (dicyclomine hydrochloride).

Bentyl with Phenobarbital adds 15 mg. of phenobarbital to the preceding formula.

Bentyl Repeat Action with Phenobarbital Tablets contain 10 mg. of Bentyl and 15 mg. of phenobarbital in the outer coating, and 10 mg. of Bentyl in the enteric-coated core.

#### Dosage:

Adults—2 capsules or 2 teaspoonfuls of syrup, t.i.d. before or after meals. If necessary repeat at bedtime.

Bentyl Repeat Action with Phenobarbital Tablets—1 or 2 tablets at bedtime, or every eight hours as needed.

*In Infant Colic*— $\frac{1}{2}$  to 1 teaspoonful, ten to fifteen minutes before each feeding.

#### Supplied:

Bentyl—In bottles of 100 and 500 blue capsules, and as Bentyl Syrup.

Bentyl with Phenobarbital—In bottles of 100 and 500 blue-and-white capsules, and Bentyl Syrup.


Bentyl Repeat Action with Phenobarbital Tablets—bottles of 100 and 500.

**THE WM. S. MERRELL COMPANY**  
New York • CINCINNATI • St. Thomas, Ontario



*Another exclusive product of  
original Merrell research.*

*Vallestril, brand of methallenestril, insures maximal estrogenic potency with minimal activity on the endometrium and thus singular freedom from withdrawal bleeding.*



## “Target Action” Avoids Withdrawal Bleeding

Vallestril has been found to exert its selective “target action” on the vaginal mucosa. Conversely the effect on the uterus or endometrium is negligible.

In pharmacologic studies, using the Allen-Doisy technic, Vallestril was found to be more active than estradiol and twice as potent as estrone on the vaginal mucosa. On the other hand, using the Rubin technic, Vallestril was found to have only one-tenth the activity of estrone on the uterus, a suggested explanation of its low incidence of withdrawal bleeding.

In clinical evaluation, covering a period of two and one-half years, Vallestril was found\* to be “an effective synthetic estrogen . . . singularly free from toxic effects and complications, especially uterine bleeding. . . . The beneficial effect of the medication appeared within three or four

days in most menopausal patients . . . . failure to encounter withdrawal bleeding in any patient was most gratifying. . . .”

Such unwanted reactions as nausea, mastalgia and edema also occur less frequently with Vallestril.

Vallestril is preferentially indicated whenever estrogens are of value: The menopausal syndrome; pain of postmenopausal osteoporosis; pain of osseous metastases of prostatic cancer.

Dosage: Menopause—3 mg. (1 tablet) two or three times daily for two or three weeks, followed by 3 or 6 mg. daily for one month. Supplied only in scored tablets of 3 mg. G. D. Searle & Co., Research in the Service of Medicine.

\*Sturnick, M. I., and Gargill, S. L.: New England J. Med. 247:829 (Nov. 27) 1952.

SEARLE

**NOW...**

*a real* advance in ACTH therapy

## **CORTROPHIN-ZINC**

AN ORGANON DEVELOPMENT

The complete physiologic action of ACTH  
enhanced, prolonged, and with a convenience  
never before possible.

## **CORTROPHIN-ZINC**

AN ORGANON DEVELOPMENT

- **Action lasts at least 24 to 72 hours**
- **Enhanced potency**
- **Easy to administer**
- **Aqueous suspension**
- **Needs no warming**
- **May be injected through fine needle**
- **Fewer overdosage side effects**

## **CORTROPHIN-ZINC**

AN ORGANON DEVELOPMENT

Available in 5-cc vials containing 40 U.S.P.  
units of corticotropin per cc with 2.0 mg of zinc.

**Organon** INC. • ORANGE, N. J.



# Tetrazets.

BACITRACIN-TYROTHRIN-NEOMYCIN-BENZOCAINE TROCHES

*in sore-throat weather—a 4-in-1 attack*

**MAJOR ADVANTAGES:** Provide three potent antibiotics plus a soothing topical anesthetic. Effective against both gram-positive and gram-negative bacteria. Little danger of sensitization.



Winds and showers bring sore and inflamed throats; new TETRAZETS provide the ideal topical treatment.

TETRAZETS are soothing, pleasant-tasting troches, each containing bacitracin, tyrothricin and neomycin, with benzocaine, added for its anesthetic effect.

The 3 antibiotics together (1) enhance the antibacterial potency, (2) extend the antibacterial range, and (3) minimize development of secondary invaders.

Prescribe TETRAZETS before and after tonsillectomies, too. They are valuable also

as an adjunct to parenteral antibiotic therapy of deep-seated infections such as Vincent's infection.

*Supplied:* Vials of 12 troches, each troche containing 50 units zinc bacitracin, 1 mg. tyrothricin, 5 mg. neomycin sulfate with 5 mg. benzocaine.



Philadelphia 1, Pa.  
DIVISION of MERCK & CO., INC.

the able antibiotic

AC

dependable

available

# ACHROMYCIN<sup>\*</sup>

Tetracycline LEDERLE

## dependable action

Rapid diffusion and penetration, prompt control of infection, negligible side effects. Proved against Gram-positive and Gram-negative bacteria, rickettsia, and certain viruses and protozoa.

## reliable quality

Made in Lederle's *own* laboratories under exacting quality controls, and distributed only under the Lederle label.

## available in "most-used" forms

You can choose the *right* dosage form to suit the patient's needs and comfort, and your convenience.

SF

Newest ACHROMYCIN dosage form !

Exclusive dry-filled, sealed capsules !

Stress formula suggested by the National Research Council. ACHROMYCIN SF provides potent anti-infective action, plus nutritional supplementation to hasten recovery. Particularly useful in prolonged illness. More effective because powder-filled, soft gelatin capsules are rapidly and completely absorbed. No oils, no paste ... tamperproof!

*Capsules of 250 mg.*

Also available: ACHROMYCIN SF Oral Suspension, 125 mg. per teaspoonful (5 cc.)

SF

ACHROMYCIN with STRESS FORMULA VITAMINS



LEDERLE LABORATORIES DIVISION *AMERICAN Cyanamid COMPANY* PEARL RIVER, NEW YORK

\*REG. U.S. PAT. OFF.



# CHARLES B. TOWNS HOSPITAL *Established 1901*

**FOR THE TREATMENT OF ALCOHOLISM**

**NARCOTIC AND BARBITURATE**

**ADDICTIONS EXCLUSIVELY**

Complete Medical & Psychiatric Treatment at predetermined cost. Privacy of patient is assured—if desired.

Literature on Request

Edward B. Towns, Director

293 Central Park West, N. Y. 24, N. Y.  
Schuyler 4-0770

Member American Hospital Association

## THIASTIGMINE®

EFFECTIVE THERAPY FOR PROMPT RELIEF IN THE TREATMENT OF

**NEURITIS**

**NEURALGIAS**

**HERPES ZOSTER**

For Intramuscular Use

**CONTAINS**

Thiamine Hydrochloride—0.100 Atropine Sulfate—0.0002  
Neostigmine Methylsulfate—0.0005  
in a Stabilized Aqueous solution

**SUPPLIED**

KIRK No. 339 10 cc. multiple dose rubber capped vial.  
KIRK No. 347 1 cc. ampul in boxes of 12 and 25.

**C. F. KIRK LABORATORIES, NEW YORK 11, U. S. A.**

Reprints available — Dept. TH

FOR ANTI-FLATULENT EFFECTS  
IN INTESTINAL DYSFUNCTION

**EUCARBON**

Composition: Each tablet contains a potent anti-flatulent agent, compressed with peppermint oil and tannic acid, in an activated charcoal base. Aids and Uses: Mild laxative, subsides flatulence and is suitable for use in indigestion, hyperacidity, bloating and flatulence.

An excellent detoxifying substance with a wide range of uses in dermatology.

Administration: 1 or 2 tablets daily 1/2 hr. after meals.

SUPPLY: Tins of 100

SEDATIVE AND SLEEPING FOR  
NERVOUS, IRRITABLE PATIENTS

**VALERIANETS-DISPERT**

VALERIAN, COCAINE, NON-DE-  
PRESSANT, SEDATIVE & SLEEPING

Valerianets-Dispert Tablet Contains Valerian, Cocaine, and a Non-Depressant, Sedative & Sleeping Agent. Indicated for treatment of nervousness, insomnia, and other nervous conditions.

Indicated in cases of nervousness, insomnia, and other nervous conditions. Indicated in cases of nervousness, insomnia, and other nervous conditions.

Each 1 or 2 tablets 1/2 supply  
Tins of 50, 100, 500 tablets

A MODERNIZED METHOD FOR  
PREPARING BUROW'S SOLUTION U.S.P.

**PRESTO-BORO**

In Tablets or Powder in envelopes  
(ALUMINUM SULFATE  
and CALCIUM ACETATE)

FOR USE AS AN

**ASTRINGENT and  
TOPICAL DRESSING**  
(U.S. Pat.)

Dissolve in plain water as directed for preparing astringent Burrow's Solution for treatment of Swellings, Inflammations, Sprains, Antipruritic, decongestive action. Accurate uniform dosage. Stable, Lead free.

FOR  
PULMONARY  
CONDITIONS


**® TRANSPULMIN**

3% solution  
Quinine with  
2 1/2% Camphor  
for Intramuscular  
Injection



AVAILABLE AT  
ALL PHARMACIES

STANDARD PHARMACEUTICAL CO., INC., 253 W. 26th ST., NEW YORK



## peptic ulcer

In a recent study of the basal secretion of duodenal ulcer patients,<sup>1</sup> a single 10 mg. oral dose of Monodral was found to produce anacidity in 38 of 47 tests and to reduce the volume of secretion to a few milliliters in 33.

**Heals, does not conceal.** Monodral relieves ulcer pain faster, and favors healing, because it eliminates **two** pain-producing factors: excess free acid and gastric hypermotility.<sup>2</sup> Anticholinergic agents which do not have this ability to suppress HCl may mask the failure of the ulcer to heal. Try Monodral on patients who have failed to respond to other parasympatholytic agents. Milder side effects—virtually no constipation.

# Monodral<sup>®</sup>

bromide

1. McKenna, R.D.: Royal Victoria Hospital, Montreal, Canada: Personal communication.

2. Ingegno, A.P.; and Kertzner, Leonard: New York Jour. Med., 54:1185, Apr. 15, 1954.

*Winthrop-Stearns* INC.

New York 18, N. Y. Windsor, Ont.


MONODRAL BROMIDE, BRAND OF PENTHIENATE BROMIDE

# MEDICAL HORIZONS TV

Monday P.M.

Sponsored by CIBA

ABC-TV




for daytime sedation...  
one good night's sleep  
convert your  
"barbiturate"  
patients to

## Doriden®

CIBA  
TOBACCO CO. SEDATION TO DORIDEN HAS NOT BEEN REPORTED

AVERAGE Dosage:  
As a Daytime Sedative—0.25 Gm. 3 to 4 times after meals  
As a Hypnotic—0.2 Gm. at bedtime

SUPPLY: Tablets (scored), 0.25 Gm. and 0.5 Gm.  
DORIDEN® (chloralhydrate CIBA)



SATISFACTION GUARANTEED

**Specialists in Plastic and Glass  
Artificial Human Eyes Exclusively**

*Referred Cases Carefully Attended*

**FRIED & KOHLER, Inc.**

665 FIFTH AVENUE near 53rd Street  
NEW YORK, N. Y. Tel. Eldorado 5-1970

**when proper or corrective  
shoes are indicated . . .**

**prescribe PEDIFORMES**

IN STOCK:

- straight last shoes
- inflare last shoes
- outflare last shoes
- club foot shoes
- flat foot shoes
- children's shoes with Thomas Heel and long counter

You are assured alterations and fittings as you prescribe because of our interest, and experience gained in serving the medical profession for more than 40 years.



34 West 36th STREET  
New York City  
Wisconsin 7-2534

Other Shops in: Brooklyn • Flatbush • Hempstead  
New Rochelle • Hackensack



first in advantages  
for low-salt therapy

**DIASAL<sup>®</sup>**

salt substitute of choice

for congestive failure  
essential hypertension  
obesity  
and whenever low salt is indicated

TASTE  
POUR-QUALITY  
APPEARANCE  
STABILITY

help keep patients on low-sodium diets

FREEDOM FROM  
UNPLEASANT  
AFTERTASTE

Keeps food attractive—  
prevents nutritional deficiencies

OPTIMAL  
POTASSIUM  
CHLORIDE  
CONTENT

avoids borderline hypopotassemia—makes DIASAL  
...the product of choice for this purpose.\*

DIASAL contains only potassium chloride, glutamic acid and inert ingredients...no sodium, lithium, or ammonium... and it is safe for prolonged use, both at the table and in cooking.

packaging: available in 2-ounce shakers and 8-ounce bottles. Send for liberal supplies of tasting samples and low-sodium diet sheets for your patients.

\*Fremont, R. E.; Rimmerman, A. B., and Shaftel, H. E.: Postgrad. Med. 10:216, 1951.

**E. FOUGERA & CO., INC.** 75 Varick St., N. Y. 13, N. Y.

# Now

## Fresh, Fluid

# LO-SODIUM MILK

## by Walker-Gordon

This new specialty milk from Walker-Gordon enables your patients on restricted-sodium diets to enjoy the appealing taste of fine, fresh Walker-Gordon Certified Milk . . . yet 90% of the Sodium has been removed. (Special process cuts Sodium content of milk from 480 to less than 50 mg. per quart.)



Paper half-pints for hospitals. Quart bottles for regular home delivery through leading milk Dealers. Write or phone for literature and Nutrition Foundation's booklet, "Planning Low Sodium Meals."

(Separate folders included, giving menus containing 200, 400 and 800 mgs. sodium with 1200, 1500 and 2000 caloric levels)

## Walker-Gordon Certified Milk Farm

Plainsboro, New Jersey  
New York: Walker 5-7300

Phone PLainsboro 3-2750  
Philadelphia: LOcust 7-2665

# Dilaudid

*the first thought for pain relief*

**Prescribe 1/20 gr. DILAUDID HCl Tablets or Ampules for Prompt Relief of Pain**

- Pain relief without hypnosis
- Smooth, quick action
- Minimum of side effects
- An opiate, may be habit forming

•Dilaudid is subject to Federal narcotic regulations.

Dilaudid®, brand of Dihydromorphinone, a product of E. Bilhuber, Inc.

**BILHUBER-KNOLL CORP.** *distributor*

**ORANGE  
NEW JERSEY**

**Patients on "Premarin"  
therapy experience prompt  
relief of menopausal symptoms  
and a highly gratifying  
"sense of well-being."**

**"Premarin" — Conjugated Estrogens (equine)**

Herald Square, N. Y.

Parkchester, Bronx

Jamaica, Queens

White Plains, N. Y.

Flatbush, Brooklyn




## MACY'S PRESCRIPTION DEPARTMENT

**Macy's respects professional ethics.** We carefully avoid discussing your prescription, either its ingredients or its use, with your patient. You can be assured that all your prescriptions are accurately compounded exactly as you write them. And all our preparations, made from the finest ingredients obtainable, are carefully checked by our supervising pharmacists.

No wonder so many physicians prefer Macy's Prescription Department.

### PLASTIC AND GLASS EYES



## MAGER & GOUGELMAN, Inc.

OVER A CENTURY OF SERVICE • 1851-1952

- PRIVATE FITTINGS
- PERSONAL ATTENTION
- EXPERIENCE & SKILL

**510 MADISON AVE., N. Y. 22**  
Telephone PLaza 5-3756

*For acidosis due to anesthesia — edema*

## KALAK


Counter-Acts  
**ANTI-BIOTIC  
REACTIONS**



. . . . KALAK is a non-laxative, alkaline diuretic buffer — side reactions from aureomycin — terramycin — sulfas — penicillin are reduced through the use of KALAK — KALAK contains only those salts **NORMALLY** present in plasma. . . IT IS BASIC!

**KALAK WATER CO.**  
of NEW YORK, Inc.  
**90 West St., New York 6, N. Y.**

*For acidosis due to nausea — in nephritis*




## **BUFFERIN®**—THE BETTER-TOLERATED SALICYLATE FOR RHEUMATOID ARTHRITIS

Gastric upsets from aspirin are 3 to 9 times as frequent among arthritics as they are among the general population.<sup>1</sup> However, BUFFERIN is well tolerated by arthritics. At the Robert Breck Brigham Hospital of Boston 70 per cent of arthritics with a proved intolerance to aspirin could take BUFFERIN without gastric distress.<sup>1</sup>

Although patients often use sodium bicarbonate with aspirin to alleviate gastric symptoms, clinicians know that this causes a lowering of the salicylate level of the blood serum.<sup>2</sup> Moreover, this practice may cause retention of the sodium ion.<sup>3</sup> Pre-existing symptoms of cardiovascular disease have been aggravated.<sup>1</sup>

**IN ARTHRITIS—WHEN LARGE AND PROLONGED  
SALICYLATE DOSAGE IS INDICATED,  
GIVE BETTER-TOLERATED BUFFERIN.**

Each BUFFERIN tablet combines 5 gr. acetylsalicylic acid with magnesium carbonate and aluminum glycinate. BUFFERIN is available in bottles of 12, 36, 60 and 100 tablets.



References: 1. Fremont-Smith, P.: J.A.M.A. 158:386, 1955. 2. J.A.M.A. 141:124, 1949. 3. M. Times 81:41, 1953.

**BUFFERIN ACTS TWICE AS FAST AS ASPIRIN  
DOES NOT UPSET THE STOMACH**

## **BRISTOL-MYERS CO.**

19 West 50 Street, New York 20, N. Y.

# Select the level of protection the baby needs

**NEW**

Each 0.6 cc.  
supplies:

## DECA-VI-SOL 10

Nutritionally Significant Vitamins  
INCLUDING VITAMINS B<sub>1</sub> AND B<sub>6</sub>

Vitamin B <sub>12</sub> (mcg.)	Biotin (mcg.)	Panthenol (mg.)	Pyridoxine (mg.)	Niacinamide (mg.)	Riboflavin (mg.)	Thiamine (mg.)	Ascorbic acid (mg.)	Vitamin D (units)	Vitamin A (units)
1	30	3	1	10	15	1	50	1000	5000

## POLY-VI-SOL

## TRI-VI-SOL

All are supplied in 15 cc., 30 cc. and economical 50 cc. bottles  
with the new Mead calibrated unbreakable plastic "Safti-Dropper."  
It will not break even if the baby bites it.



Deca-Vi-Sol—the new, more comprehensive formula including vitamins B<sub>12</sub> and B<sub>6</sub>—permits even greater flexibility in specifying vitamins for infants and children. Like Poly-Vi-Sol and Tri-Vi-Sol...

Deca-Vi-Sol is... **highly stable**... refrigeration not required... potency assured... **readily accepted**... exceptionally pleasant flavor... no unpleasant aftertaste... **full dosage assured**... can be dropped directly into the baby's mouth.



For older children, specify **Mulcin**, the good-tasting, orange-flavored vitamin liquid for tea-spoon dosage.



MEAD

SYMBOL OF SERVICE TO THE PHYSICIAN

MEAD JOHNSON & COMPANY • EVANSVILLE, INDIANA, U.S.A.



**Upjohn**

# Bacterial diarrheas . . .

---

# Kaopectate

Trademark, Reg. U.S. Pat. Off.

# with Neomycin

***Each fluidounce contains:***

Neomycin sulfate . 300 mg. ( $4\frac{3}{4}$  grs.)  
[equivalent to 210 mg. ( $3\frac{3}{4}$  grs.) neo-  
mycin base]

Kaolin . . . . . 5.832 Gm. (90 grs.)

Pectin . . . . . 0.130 Gm. ( 2 grs.)

Suspended with methylcellulose 1.25%

***Supplied:***

6-fluidounce and pint bottles

The Upjohn Company, Kalamazoo, Michigan



C I B A  
SUMMIT, N. J.



for daytime sedation...  
or a good night's sleep  
convert your "barbiturate patients" to...

# Doriden®

HABITUATION TO DORIDEN HAS NOT BEEN REPORTED

**AVERAGE DOSAGE:**

As a Daytime Sedative—0.25 Gm. t.i.d. or q.i.d. (after meals)

As a Hypnotic—0.5 Gm. at bedtime

SUPPLY: Tablets (scored), 0.25 Gm. and 0.5 Gm.

DORIDEN® (glutethimide CIBA)

**MEDICAL HORIZONS TV** Monday P.M.  
Sponsored by CIBA

ABC-TV

# *Mysteclin*

STECLIN-MYCOSTATIN  
SQUIBB TETRACYCLINE-NYSTATIN

**WELL TOLERATED BROAD SPECTRUM ANTIBACTERIAL THERAPY PLUS ANTIFUNGAL PROPHYLAXIS**

BROAD SPECTRUM ANTIBIOTIC THERAPY,  
EFFECTIVE IN MANY COMMON INFECTIONS

Because it contains Steclin (Squibb Tetracycline), MYSTECLIN is an effective therapeutic agent for most bacterial infections. When caused by tetracycline-susceptible organisms, the following infections are a few of those which can be expected to respond to MYSTECLIN therapy:

bronchitis	gonorrhea	osteomyelitis	pyelonephritis
colitis	lymphadenitis	otitis media	sinusitis
furunculosis	meningitis	pneumonia	tonsillitis

MYSTECLIN is also indicated in certain viral infections and in amebic dysentery.

BROAD SPECTRUM ANTIBIOTIC THERAPY,  
WITH A MINIMUM OF SIDE EFFECTS

In clinical use, Steclin has produced an extremely low incidence of the gastrointestinal distress sometimes observed with other broad spectrum antibiotics. Mycostatin (Squibb Nystatin), as contained in MYSTECLIN, is also a particularly well tolerated antibiotic and has produced no allergic reactions, even after prolonged administration.

BROAD SPECTRUM ANTIBIOTIC THERAPY,  
WITHOUT THE DANGER OF MONILIAL OVERGROWTH

Because it contains Mycostatin, the first safe antifungal antibiotic, MYSTECLIN effectively prevents the overgrowth of *Candida albicans* (monilia) frequently associated with the administration of ordinary broad spectrum antibiotics. This overgrowth may sometimes cause gastrointestinal distress, anal pruritus, vaginitis, and thrush; on occasion, it may have serious and even fatal consequences.

**SQUIBB**

Each MYSTECLIN capsule contains 250 mg. Steclin Hydrochloride and 250,000 units Mycostatin.

*Minimum adult dose:* 1 capsule q.i.d.

*Supply:* Bottles of 12 and 100.

\*MYSTECLIN®, \*STECLIN® AND \*MYCOSTATIN® ARE SQUIBB TRADEMARKS

**Hoeber-Harper**



**presents . . .**

## **THREE IMPORTANT new BOOKS**

### **• • • • HOLLINSHEAD'S *Anatomy For Surgeons***

*Volume 1: Head and Neck.* The most ambitious work in its field attempted in our time will cover the entire body in three volumes. "The Head and Neck," prepared with the help of nine Mayo Clinic surgeons, is now off press. Going beyond basic anatomy, "Head and Neck" takes up controversial topics as they affect operative surgery. Each chapter discusses variations and abnormalities of consequence to the surgeon, and normal anatomy of the part. Correlates physiology with anatomy throughout. The fortuitous blending of expert anatomic knowledge with the experience of eminent surgeons assures you of a book that will give valuable help for years to come.

By **W. HENRY HOLLINSHEAD, PH.D.**, *Head of the Section of Anatomy, Mayo Clinic.* 572 pp., 326 illustrations. \$12.00.

### **• • • • BAKER'S *Clinical Neurology***

*In 3 Volumes.* A complete source of today's knowledge of diagnosis and treatment. Covers not only the more common neurologic disturbances, but also the rarer syndromes and the ramifications of neurology in the fields of internal medicine, pediatrics, endocrinology, psychiatry, ophthalmology and otolaryngology. Organizes for practical use the known facts of neurology . . . and includes much new material published here for the first time.

65 Authorities. Edited by **A. B. BAKER, M.D.**, *Prof. and Dir., Div. of Neurology, Univ. of Minn. Med. Sch.*, 2100 pp., liberally illustrated. 3 volumes. \$60.00.

### **• • • • WERNER'S *The Thyroid***

*A Fundamental and Clinical Text.* This interdisciplinary approach to the thyroid gland gives the first complete guide to thyroid functions, disorders and relationships. From the fundamental biochemistry to the details of treatment, both medical and surgical, including laboratory techniques and the latest radioactive materials, **THE THYROID** presents you with today's best knowledge on any question you may look up. A specialist presents each topic. But, because the book is so carefully planned and edited, it reads like a consecutive account by a single authority.

60 Authors. Edited by **SIDNEY C. WERNER, M.D.**, *Assoc. Prof. of Clinical Medicine, Columbia Univ. Coll. of Physicians and Surgeons.* 800 pp. \$20.00.

**All Hoeber-Harper Books Sent On Approval**

---

**PAUL B. HOEBER, Inc., Publishers, 49 East 33rd St., N. Y. 16**

**MEDICAL BOOK DEPARTMENT OF HARPER & BROTHERS**